ANYLOAD®

106TS
Load Cell & Mounting Cups

106TS
Canister Load Cell

IP68

STAINLESS STEEL
HERMETICALLY SEALED

Options:

- FM, ATEX, IEcEX Approved

PRODUCT PAGE

Mounting Cups
Included with Module

A

B

C

Clamp

Rubber Shield

1-855-269-5623
www.anyload.com

106TS Kits →

106TS

6, 8, 12 Module Kits

Part Number / Capacity	J-Box	Cable
6 Module Kit	*J-Box (specify model when ordering)	
MK6-106TS-**50Klb**-YZ	**J06S-E-21-MB**	1 roll (100ft/30m)
MK6-106TS-**100Klb**-YZ		
MK6-106TS-**30t**-YZ		
MK6-106TS-**SE30t**-YZ		
MK6-106TS-**SE50t**-YZ		
8 Module Kit	*J-Box (specify model when ordering)	
MK8-106TS-**50Klb**-YZ	**J08SS**	1 roll (100ft/30m)
MK8-106TS-**100Klb**-YZ		
MK8-106TS-**30t**-YZ		
MK8-106TS-**SE30t**-YZ		
MK8-106TS-**SE50t**-YZ		
12 Module Kit	*J-Box (specify model when ordering)	
MK12-106TS-**50Klb**-YZ	**J12SS**	1 roll (100ft/30m)
MK12-106TS-**100Klb**-YZ		
MK12-106TS-**30t**-YZ		
MK12-106TS-**SE30t**-YZ		
MK12-106TS-**SE50t**-YZ		

Complete Kit Includes

- 106TS Load Cells
- Mounting Cups
- Junction Box (Signal or Exc)
- Load Cell Cable

Features

- Heavy Duty Construction
- Interchangeable with Coti-Global CG-26S7. Mettler-Toledo 0782, Powercell 760, MTX and PDX.
- Includes rubber shield and clamps

Applications

- Conversion on Truck Scales, Rail Scales, Hopper & Silo Weighing and other high capacity needs

MK6 J-Box: Signal Trim Main Board Only; Stainless Steel Junction Boxes (Signal or Excitation) available
MK8 J-Box: Stainless Steel or Fiberglass, Signal or Excitation available
MK12 J-Box: Stainless Steel or Fiberglass, Signal or Excitation available

Drawings (With **C** Mounting Cups)



Dimensions (inches)

Capacity	C1	C2	C3	C4	C5	C6	H	H1	H2	H3	H4	L	W	W1	W2
50-100Klb	1.48	2.95	3.74	2.44	11.02	0.27	7.88	2.43	9.41	1.25	0.56	3.21	4.12	1.41	0.53

www.anyload.com | Phone: 1-855-269-5623
© 2025 Anyload Weigh & Measure Inc. Specifications subject to change without notice.

ANYLOAD®

106TS Cups

PDX MT Retrofit Kit



A - SE30t, SE50t

PDX *Thicker Option*



B - SE30t, SE50t

MTX MT Retrofit Kit **(Analogue)**



C - 50Klb, 100Klb, 30t, SE30t, SE50t

A Cap



B Cap



C Cap



A Base



B Base



C Base



Cup Type		C	C1	C2	C3	C4	C6	H	H1	H3	H4	L	W	W2
A	Cap	2.73	-	-	-	-	7.5	-	-	-	-	-	-	-
	Base	3.50	2.75	0.50	-	-	7.5	-	-	-	-	-	-	-
B	Cap	2.73	3.75	-	-	-	-	2.50	0.86	-	-	-	-	-
	Base	2.73	4.13	3.75	-	-	-	2.50	0.86	-	-	1.82	0.50	-
C	Cap	-	-	-	3.74	2.44	0.27	-	-	1.25	0.56	3.21	-	0.53
	Base	-	-	-	3.74	2.44	0.27	-	-	1.25	0.56	3.21	-	0.53

ANYLOAD®

CANADA & USA
1-855-269-5623
www.anyload.com

© 2025 Anyload Weigh & Measure Inc.
PN-250211 Specifications subject to change without notice.