

# CERTIFICATE OF COMPLIANCE

**Certificate Number** E60425  
**Report Reference** E60425-20110128  
**Date** 2023-April-11

**Issued to:** PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstrasse 8  
Blomberg 32825 DE

**This is to certify that  
representative samples of**

TERMINAL BLOCKS - COMPONENT  
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


**Standard(s) for Safety:** UL 1059 & CAN/CSA C22.2 No. 158 - Terminal Blocks

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

  
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** E60425  
**Report Reference** E60425-20110128  
**Date** 2023-April-11

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Type MCC0.5 followed by /one or two-digit number followed by -ST, followed by -2.54, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.

Type MCC1 followed by /one or two-digit number followed by -STZ, -STZF followed by -3.81.

Type MC1.5 followed by /one or two-digit number followed by -ST, -STF, -ST1, ST1F, -STZ, -STZ1, -STZ2, -STZ3, -STZ4, -STZ11, -STZ12, -STZ13, -STZF followed by -3.5, -3.81, -5.08, may be followed by -LR.

Type MCVR1.5, MCVW1.5 followed by /one or two-digit number followed by -ST, -STF, -STFL, -STFR followed by -3.5, -3.81.

Type IMC1.5 followed by /one or two digit number followed by -ST, -STGF followed by -3.81.

Type FRONT-MC1.5 followed by /one or two-digit number followed by -ST, -STF followed by -3.81, may be followed by SOX (X is a one digit number).

Type MC1.5, MCV1.5, IMC1.5, IMCV1.5, followed by /one or /two digit number followed by -G, -GU, -GF, -GL, -GFL, -GR, -GEF, -GFR, -GSF, -GO, -GW followed by -3.5, -3.81, -5.08, may be followed by -LR, with or without -RN, with or without two-digit color-code (GY, -GN, OG and others), with or without P14, P20, P26, AU with or without THT, THR, CPXX, SOX or R.

Type MCDN1.5, MCDNV1.5 followed by /one or two digit number followed by -G1 followed by -3.5, -3.81 followed by P14THR, P26THR, RNP14THR, RNP26THR.

Type MCD1.5, MCDB1.5, MCDV1.5 followed by /one or two digit number followed by -G, G1, -G2, -GF, -G1F, -G1W followed by -3.5, -3.81 with or without P20, P26, with or without HT, THR, TR, S01, or PIN2.

Type MCVK1.5 followed by /one or two digit number followed by -G, -GF followed by -3.81.

Type MCVDU1.5 followed by /one or two digit number followed by -G followed by -3.5, -3.81.

Type DFK-MC1.5 followed by /one or two digit number followed by -GF followed by -3.81.

Type MCVU1.5 followed by /one or two digit number followed by -GFD-3.81.

*Deborah Jennings-Conner*

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** E60425  
**Report Reference** E60425-20110128  
**Date** 2023-April-11

Type EMC1.5, EMCV1.5 followed by /one or two digit number followed by -G, GF followed by -3.5, -3.81.

Type SMC1.5 followed by /one or two digit number followed by -G, -GF followed by -3.81 with or without HT or CPXX, XX.

Type DMC1.5, DMCV1.5 followed by /one or two digit number followed by -G1, -G1F followed by -3.5 with or without -LR or AU followed by P20, P26, P34, PXX, w/wo THR.

Note:



*Deborah Jennings-Conner*

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>